



MSVI Unit #:
16-90183

DEALER: Gorman Emergency Vehicles
CUSTOMER: Clarence Center Volunteer Fire Company
Street or P.O. Box 9415 Clarence Center Road
City, State, Zip Clarence Center, NY 14032
Customer Contact: Chief Benjiman Hodges
Sales Associate: Bill Gorman
VIN#: 1FDWE3FS4HDC28881

Received 11/23/16
 Sent for Approval -
 Rec'd Approved 12/1/16
 Scheduled
GPC Number: QL653

Form Revised 11/1/16

Chassis Model Yr	2017			
MEDIX Model	Metro Express RP-90 ES, Type III			
CHASSIS	Ford E-350 XL Cutaway, 6.8 L V-10 Gas, 138" WB, 11,500 GVWR			
BODY	146"L x 90"W x 68" Interior Headroom			
QTY	STD/OPT	Description	Unit Price	Total
	01-	Flooring & Interior Colors		
1	STD	Cabinets: Laminated Wood- (Specify Color) Color: GRAY		0.00
1	STD	Upholstery: (Specify Color) Color: COBALT BLUE Brand: EVS		0.00
1	100020	Lonseal- LonPlate (Diamond Plate) Color: GUNPOWDER 424TX	450.00	450.00
	02-	Body & Chassis		
		NOTE: Cot mount will not be installed unless specified		
1	STD	All Exterior compartments coated with a light gray rubberized urethan material.		0.00
1	STD	Walk-Thru w/Sliding Door. Slides behind driver's seat		0.00
1	STD	Fender Flares: Black rubber		0.00
1	STD	Compartment Lights: Optronics ILL36CB LED Compartment lights- ALL Models Locate: (1) Ceiling of Compt #1; (2) in Compt #2- (1) URH, (1) LLH; (1) in ceiling of Compartment #3; (2) in Compt #4/5; (1) in Compt #6 (if ordered).		0.00
1	STD	Compartment #1 SS Forward: Smooth Aluminum body, ADP interior door panel, O2 "M" cylinder storage for STEEL tank, Door w/rubber socket/nylon ball hold-open.		0.00
1	STD	Compartment #2 SS Center: Smooth Aluminum body, ADP interior door panel, Open Storage, Door w/gas strut hold-open and Seat Belt Strap.		0.00
1	STD	Compartment #3 SS Rear: Smooth Aluminum body, ADP interior door panel, Vertical backboard storage w/2- belts. Door w/rubber socket/nylon ball hold-open.		0.00
2	STD	Rear Entry Doors: Single piece laminated smooth aluminum door liner w/stainless steel center panel for black paddle handles; ADP kick panels.		0.00
1	STD	Compartment #4/5 CS Forward: NO body above floor, ADP interior door panel, ALS Cabinet w/ Inside/Outside access, Full-height, single Door w/gas strut hold-open. Bottom section aluminum body w/roll-out battery tray w/removable, latching door.		0.00
1	STD	Curbside Entry Door: Single piece, laminated smooth aluminum door liner w/stainless steel center panel for black and chrome paddle handles; ADP kick panels. Gas strut door hold-open. Smooth aluminum stepwell w/Dri-Dek insert.		
1	200090	Compartment #6: Spare tire aft of curbside wheel well on RP90ES w/seat belt strap. Smooth Aluminum with rubberized urethane coating, drop floor for tire w/removable cover plate and (1) LED light in ceiling. NOTE: (no drop floor on Type I Chevy due to larger tire)	1116.00	1116.00

	NEW STD	All Entry Door paddle handle and rotary latching components will include emergency door releases located top and bottom of each door and shall meet the FMVSS 206 30G Test Requirement	NEW DOOR PANELS	
1	200200	Power Door Locks: All Entry and Compartment Doors, wired to OEM door lock system (Does not include additional lock switches inside module)	880.00	880.00
1	99-0678	Stealth Switch for Power Door Locks System, Push Button Switch (Grille bracket: Ford 33-102402)	65.00	65.00
		Locate: Driver's side front grille		
1	STD	Rear Bumper: ADP corner pods w/Dock bumper pads, Center grip-strut flip-up step, powder coated steel frame		0.00
2	STD	IV Hangers: (2) Cast black rubber fold-down of knee area of Cot and Squad Bench		0.00
2	200160	IV Hanger, flush mount, fold down, rubber Cast- IATS	65.00	130.00
		Locate: Over chest area of Cot and Squad Bench		
3	STD	Mirrors, OEM: (1) each cab door, (1) on interior windshield		0.00
4	OPT	Wheel Covers: Stainless steel covers w/Valve Extenders	330.00	330.00
4	STD	Stone Guards, lower body corners, ADP		0.00
2	STD	Running Boards, formed ADP with front splash guards		0.00
1	STD	Rub Rails, C-Channel, tapered ends, Lower Body off-set mount with neoprene spacers.		0.00
1	STD	Cast aluminum fuel fill bezel		0.00
1	STD	Undercoating: Per QVM Guidelines		0.00
	03-	Brake, Turn & Back-Up Lights		
1	300030	Lights: DOT, Brake/Tail, Turn, Back Up: Whelen 600 Series LED. (Package PNs: 60BTTC, 60A00TAR, 60C00VCR) ILOS	INCL PKG	
1	STD	DOT Marker Lights: Optronics LED, rubber grommet bezels; (7) MCL11CAB Amber- (5) on front of body as Marker lights, (2) side facing on rear extrusions as Turn Signals; (7) MCL11CRB Red- (5) on rear of Body as Marker lights, (2) side facing as Turn Signals.		0.00
	04-	Electrical, Power Distribution, Control Center & Interior Lighting		
1	STD	Battery Switch, Automatic: TST CDR-357. Located in Electrical Cabinet.		0.00
1	400007	Anti-Theft Device, Sound-Off (Ford, Chevy Only); button located to the right side of the steering wheel	150.00	150.00
2	STD	Antenna, Radio Coax Cable terminated behind driver's seat w/Power & Ground for each		0.00
8	99-0522	Dome Light: Whelen LED, 18-diodes w/chrome flange MX80EHZA , 2-banks of four (4) lights switched separately with Hi/Lo functions- ILOS	60.00	480.00
1	STD	Action Area Light: Whelen PSC0ADCR, 12 VDC LED Strip light, 6 diodes and On/Off switch on rear control panel		0.00
1	STD	USB Port: Vanner VSS-USB dual port 2Amp mounted on A/A wall		0.00
1	STD	Shoreline: 125 VAC, 20-Amp, 60 Hz, straight blade inlet w/hinged, weatherproof cover, located above Compartment #2 SS		0.00
1	STD	Timer: 5-minute check-out, wired to CS High mode dome lights		0.00
1	400160	Inverter: Vanner 20-1050CUL- 1000watt w/battery charger, remote control w/switch in rear panel. Specify Location: Lower cabinet "E"	1200.00	1200.00
1	400150	Battery Charger: DELETE STANDARD (when adding Inverter with integral charger)	n/c	n/c
2	STD	12 VDC Outlets: (1) in Action Area, (1) in ALS Cabinet		0.00
2	STD	125 VAC Outlets: Duplex, located 1-in Action Area, 1- in ALS		0.00
1	STD	Spotlight: 400,000 CP handheld, hard wired, w/momentary On/Off switch, located in cab		0.00
1	STD	Rear Switch Panel: Engraved black plastic panel with (14) LED lighted switch positions for Dome Lights (2), Vacuum (1), Vent (1), A.A. Light (1), Inverter (1), AC/Heat (1), Fan Speed (1), Spare switches, Thermostat and digital clock w/Mode Buttons. MX01516.		0.00
1	STD	Front Console: Formed ABS body attached to engine cover. Switch panel with siren panel below		0.00

1	STD	Electrical Cabinet: Located over walk-thru w/latching, recessed, vented door		0.00
05- Warning Lights & Sirens				
1	500114	Lights: Warning, Whelen LED EMERGENCY Lighting Package- Ford, Chevy Type I and Type III- Models ONLY. NOTE: Does not include LED Scene or Load Lights.	3000.00	3000.00
		DELETE All Medix standard halogen Warning Lights.		
		All LED lights shall have CLEAR Lenses. All emergency and scene lighting shall have chrome flanges in standard locations.		
		Front of Body: Add (7) 9x7 Whelen LEDs- Specify pattern by LED Color (4) Red and (3) White: In R-W-R-W-R-W-R pattern. Outer (2) lights and (1) Center light flash on K-Spec flasher. Inner (4) flash independently on Light Bar switch on front console.		
		Sides of Body: (4) 9x7 Red LED: (2) each side in upper corners		
		Rear of Body: (4) 9x7 Red LEDs: (2) in upper corners, (2) Mid-Body wired as Warning/Brake; (1) 7x3 Amber LED in center rear.		
		Brake, Turn & Back-Up Lights: Whelen 600 Series LEDs, (60BTT, 60A00TAR, 60C00VCR)		
		Lights, Warning, Intersection Lights: (2) 7x3 Red LEDs on front fenders		
2	STD	Lights, Warning, Grille: LINZ6R Red LED w/clear lenses & chrome flanges on center grille bar		0.00
2	500210	Light, Warning, Whelen 7x3 LED, Red- IATS	150.00	300.00
		Specify Lens Color: CLEAR		
		Specify Location: (1) over each rear wheelwell-wire to Pri/Sec Modes		
2	500410	Chrome Flange on Warning or Scene Light	15.00	30.00
		Locate: (2) 7x3 over wheelwells		
4	STD	Lights, Scene: 9x7 Halogen w/8-32-degree optics, (2) located each side		0.00
2	STD	Lights, Load: Whelen 700 Series LED 7SC0ENZr, (2) on rear		0.00
1	STD	Flasher- for Warning Light system, Vanner 9860GCPE		0.00
2	STD	Siren Speakers: dual 100 Watt drivers mounted through the front bumper		0.00
1	STD	Siren- Whelen 295 SL5A1, 200 Watt		0.00
06- Oxygen, Vacuum & Miscellaneous Items				
3	STD	Oxygen Outlets: Quick-connect style, 2-in Action Area, 1-over Squad Bench		0.00
1	STD	Suction Aspirator System: Rico disposable container mounted in Action Area w/gauge and quick-connect; GAST vacuum pump mounted in lower walk-thru cabinet		0.00
1	STD	Oxygen Cylinder Retention: For "M" cylinder, black steel w/3-spring buckle straps and top collar, located in Compartment #1		0.00
1	STD	O2 Regulator, Amvex, 50psi, pre-set		0.00
07- AC / Heat				
1	STD	HVAC System: High capacity Free Blow combination Heat-AC system, multi-speed fan and thermostatic control in Action Area. HVAC unit mounted above ALS cabinet.		0.00
08- Cabinets, Hardware & Miscellaneous Items				
1	STD	Main Streetside Wall Cabinets: Specify desired configuration-		0.00
1	OPT	Cabinet Configuration- CPR Seat w/EVS V-4 seat belt system	350.00	350.00
		Main Wall Cabinets will have (1) adjustable shelf in each and sliding Lexan doors with full height extruded handles. See Prints for Configuration.		
1	STD	Action Area Overhead Cabinet: Single cabinet full-height/full-depth of Action Area with sliding Lexan doors and full height extruded handles.		0.00
1	STD	Action Area and Switch Panel: Laminated, sealed countertop and vertical panel with Suction system collection cannister, Vacuum gauge, (2) Oxygen outlets, (1) USB, (1) 12VDC Outlet, and (1) 125VAC Outlet. Switch panel includes (14) switch positions, Thermostat and digital clock w/Mode Buttons. MX01516		0.00

2	STD	Bulkhead Wall Cabinets: Cabinet above Tech Seat- open storage w/hinged, latching door; Electrical Cabinet located over walk-thru w/latching, vented door		0.00
1	STD	Bulkhead Cabinets: Upper cabinet- open storage w/hinged, latching door; Lower cabinet open storage w/hinged, latching, vented door and location for inverter and vacuum pump on floor.		0.00
1	800010	ALS Cabinet: Lower locking for 747; Middle Section w/dual wood doors w/Lexan inserts; (1) adjustable shelf	250.00	250.00
1	99-0546	Cargo Net @ Head of Squad Bench- Type I / III (166, RP-90, MN-86, MSV II) PN: 86-101723	285.00	285.00
1	STD Modified	Squad Bench: (Box out around spare tire compartment inside bench)		0.00
	1	Full length hinged lid w/TriMark latch for access to interior storage		
	2	Full length upholstered seat cushion except over Sharps/Waste Area; formed upholstered back rest cushions and head pad for each seated position.		
	3	(2) EVS V-4 Belted seating positions w/(3) short bottom straps for 2nd Patient restraint		
1	STD	Sharps/Waste: Drop-in style w/Red polycarbonate hinged lid with standard containers, located at head of squad bench.		0.00
1	STD	Technician's Seat: EVS Rear facing automotive style chair with V-4 seat belt harness mounted on steel base w/side access to storage.		0.00
1	STD	Assist Rail, 1.25" Dia. S.S. overhead off-center toward Streetside of unit.		0.00
3	STD	Grab handle- stainless steel, mounted on each rear entry and curbside entry door		0.00
8	STD	Reflective Striping, Door Open Protection: .50" Red reflective striping around interior door pan of all body doors.		0.00
1	DEL	DELETED Pole, Medical Equipment: Chrome pole mounted on inboard rear corner of Action Area shelf and extended to bottom of action area overhead		0.00
	09-	Cots & Miscellaneous Items		
1	OPT	Cot Mount Installation Fee for after truck is off-line	500.00	500.00
	10-	Paint & Lettering		
1	STD	Paint: Body all OEM White		0.00
1	1000100	Roof Star ONLY, INSTALLED	100.00	100.00
		SHIP LOOSE		
2	STD	5 Lb. Fire Extinguisher- Ship Loose is Standard		0.00

I have reviewed this Order and find it to be acceptable and ready to build.

Dealer Signature

Date: _____

I have reviewed this Order and find it to be acceptable and ready to build with the addition of the attached, approved changes.

Dealer Signature

Date: _____

Due to on-going product improvements and the changing requirements of the ambulance industry, MEDIX Specialty Vehicles, Inc. reserves the right to change product specifications and related products without prior notice and without any obligation to change prior products or parts. ALL PATENTS RIGHTS RESERVED.